



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/696,495

10/28/2003

Nadarajah Asokan

915-008.013

5756

4955

7590

08/31/2010

WARE FRESSOLA VAN DER SLUYS & ADOLPHSON, LLP  
BRADFORD GREEN, BUILDING 5  
755 MAIN STREET, P O BOX 224  
MONROE, CT 06468

EXAMINER

LE, CANH

ART UNIT

PAPER NUMBER

2439

MAIL DATE

DELIVERY MODE

08/31/2010

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.



### **DETAILED ACTION**

This Office Action is in response to the application 10/696,495 filed on 02/09/2010.

Claims 2, 10, 26, and 19 have been cancelled.

Claims 1, 3, 4, 6, 9, 11-12, 14-15, 17-18, 20-25, and 27 have been amended.

Claims 1, 3-9, 11-18, 20-25, and 27 have been examined and are pending.

**This Action is made FINAL.**

### ***Response to Arguments***

Applicant's arguments, see page 11, filed 02/09/2010, with respect to the objection of claims 1, 15, 17, and 27 have been fully considered. The objection of claims 1, 15, 17, and 27 has been withdrawn due to amendment.

Applicant's arguments, see page 12, filed 02/09/2010, with respect to the 35 U.S.C. § 112, 2<sup>nd</sup> rejection of claims 1, 3-9, 11-18, and 20-25 have been fully considered. The 35 U.S.C. § 112, 2<sup>nd</sup> rejection of claims 1, 3-9, 11-18, and 20-25 has been withdrawn due to amendment.

Applicant's arguments, see page 12, filed 02/09/2010, with respect to the 35 U.S.C. § 112, 2<sup>nd</sup> rejection of claim 27 have been fully considered and they are not persuasive. The 35 U.S.C. § 112, 2<sup>nd</sup> rejection of claim 27 is maintained for the following reasons:

Regarding claim 27; the claim limitation "*means for retrieving in secure,*" "*means for assembling,*" "*means for receiving,*" "*means for associating the unique chip with the received backup data package,*" "*means for storing the backup data package,*" "*means for associating a unique device identity with the unique chip identifier,*" "*means for signing the associated*

Art Unit: 2439

*unique device identity and unique chip identifier,” “means for storing the certificate” and “means for storing the unique device identity and the certificate in association with the backup data package”* uses the phrase “means for” or “step for”, but it is modified by some structure, material, or acts recited in the claim. It is unclear whether the recited structure, material, or acts are sufficient for performing the claimed function which would preclude application of 35 U.S.C. 112, sixth paragraph, because *the corresponding figure 1 and page 9, line 24 through page 15, line 24 of the original of the specification, just show steps to “means for retrieving in secure,” “means for assembling,” “means for receiving,” “means for associating the unique chip with the received backup data package,” “means for storing the backup data package,” “means for associating a unique device identity with the unique chip identifier,” “means for signing the associated unique device identity and unique chip identifier,” “means for storing the certificate” and “means for storing the unique device identity and the certificate in association with the backup data package;”* the aforementioned flowcharts do not provide sufficient structure for performing claimed functions.

If applicant wishes to have the claim limitation treated under 35 U.S.C. 112, sixth paragraph, applicant is required to amend the claim so that the phrase “means for” or “step for” is clearly **not** modified by sufficient structure, material, or acts for performing the claimed function.

If applicant does **not** wish to have the claim limitation treated under 35 U.S.C. 112, sixth paragraph, applicant is required to amend the claim so that it will clearly not be a means (or step) plus function limitation (e.g., deleting the phrase “means for” or “step for”).

Art Unit: 2439

Applicant's arguments, see page 13, filed 02/09/2010, with respect to the 35 U.S.C. § 101 rejection of claim 27 have been fully considered and are persuasive. The 35 U.S.C. § 101 rejection of claim 27 has been withdrawn.

Applicant's arguments filed 02/09/2010 have been fully considered but they are not persuasive.

The Applicant argues the following:

(a) Craft fails to disclose associating a unique device identity with the unique chip identifier;

(b) Craft and any combination of the cited references, fail to disclose storing in the permanent public database, the unique device identity and the certificate in association with the backup data package and the associated unique chip identifier.

The Examiner respectfully disagrees for the following reasons:

**Per (a):**

The combination of Mauro, Craft, Chien, and Okimoto teaches all limitations in claim 1.

The combination of Mauro, Craft, Chien, and Okimoto further teaches associating a unique device identity with the unique chip identifier unique chip identifier [*Craft: par. [0015]; par. [0041]; a unique device identity is associated with client device (i.e. device identity) ; CPU chip is equivalent to unique chip identifier; Chien: Col. 3; lines 15-20; Col. 3, lines 55-60; Col. 4, lines 1-32; fig. 1; Wireless communication device includes a device serial number 102 and a SIM\_ID 107; Col. 4, lines 28-32; An International Mobile Station Equipment Identity (IMEI) can*

Art Unit: 2439

*be used as a device identifier; fig. 2; Col. 4, lines 40-50; retrieving personalization parameters such as a device serial number as a SIM\_ID; Col. 6, lines 54-57].*

**Per (b):**

The combination of Mauro, Craft, Chien, and Okimoto teaches all limitations in claim 1.

The combination of Mauro, Craft, Chien, and Okimoto further teaches storing in the permanent public database, the unique device identity and the certificate in association with the backup data package and the associated unique chip identifier [*Craft: par. [0043], lines 1-6 and figure 2; A client serial number (216) is equivalent to a unique chip identifier and a client public key datastore (222) is equivalent to a permanent public database; par. [0036]; “a data can be signed by computing a digital signature from the data and the private key of signer. Once the data is digitally signed, it can be stored with the identity of the signer and the signature that proves that the data originated from the signer”; a data signed by computing a digital signature using private key, thereby generating a certificate which is stored in datastore (222); par. [0041], lines 7-13; “The manufacture of the client CPU chips also has knowledge of a server public key that is associated with a server private key that may or may not be known to the manufacturer”; Chien: Col. 3; lines 15-20; Col. 3, lines 55-60; Col. 4, lines 1-32; fig. 1];*

***Claim Objections***

**Claims 1, 3-4, 6, 9, 11-12, 14, 20-21, and 23** are objected to because of the following informalities: Appropriate correction is required.

(Claim 1, line 18): “chip identifier, with” should be replaced by “chip identifier using”.

(Claim 3, lines 2-3): “a secure, key” should be replaced by “a secure key”.

Art Unit: 2439

(Claim 4, line 2): “a secure, key” should be replaced by “a secure key”.

(Claim 6, line 2): “a secure, key” should be replaced by “a secure key”.

(Claim 9, line 20): “chip identifier, with” should be replaced by “chip identifier using”.

(Claim 11, line 2): “a secure, key” should be replaced by “a secure key”.

(Claim 12, line 2): “a secure, key” should be replaced by “a secure key”.

(Claim 14, line 2): “a secure, key” should be replaced by “a secure key”.

(Claim 20, line 2): “a secure, key” should be replaced by “a secure key”.

(Claim 21, line 2): “a secure, key” should be replaced by “a secure key”.

(Claim 23, line 2): “a secure, key” should be replaced by “a secure key”.

### ***Claim Rejections - 35 USC § 112***

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

**Claim 27 is rejected under 35 U.S.C. 112, second paragraph**, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claim 27; the claim limitation “*means for retrieving in secure,*” “*means for assembling,*” “*means for receiving,*” “*means for associating the unique chip with the received backup data package,*” “*means for storing the backup data package,*” “*means for associating a unique device identity with the unique chip identifier,*” “*means for signing the associated unique device identity and unique chip identifier,*” “*means for storing the certificate*” and “*means for storing the unique device identity and the certificate in association with the backup*

Art Unit: 2439

*data package*” uses the phrase “means for” or “step for”, but it is modified by some structure, material, or acts recited in the claim. It is unclear whether the recited structure, material, or acts are sufficient for performing the claimed function which would preclude application of 35 U.S.C. 112, sixth paragraph, because *the corresponding figure 1 and page 9, line 24 through page 15, line 24 of the original of the specification, just show steps to “means for retrieving in secure,” “means for assembling,” “means for receiving,” “means for associating the unique chip with the received backup data package,” “means for storing the backup data package,” “means for associating a unique device identity with the unique chip identifier,” “means for signing the associated unique device identity and unique chip identifier,” “means for storing the certificate” and “means for storing the unique device identity and the certificate in association with the backup data package;”* the aforementioned flowcharts do not provide sufficient structure for performing claimed functions.

If applicant wishes to have the claim limitation treated under 35 U.S.C. 112, sixth paragraph, applicant is required to amend the claim so that the phrase “means for” or “step for” is clearly **not** modified by sufficient structure, material, or acts for performing the claimed function.

If applicant does **not** wish to have the claim limitation treated under 35 U.S.C. 112, sixth paragraph, applicant is required to amend the claim so that it will clearly not be a means (or step) plus function limitation (e.g., deleting the phrase “means for” or “step for”).



Art Unit: 2439

The Examiner kindly requests the Applicant to point out and explain with specificity (i.e. column and line) in the specification where it describes/supports the aforementioned limitation (Emphasis added).

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

**Claims 1, 3-4, 6, 8-9, 11-12, 14, 16-17, 25, and 27 are rejected under 35 U.S.C. 103(a)** as being unpatentable over **Mauro** (US 2002/0147920) in view of **Craft** et al. (US 2002/0150243) further in view of **Chien** (US 7,551,913 B1), and further in view of **Okimoto** et al. (US 6,978,022 B2),

**As per claim 1:**

Mauro teaches a method comprising:

(a) retrieving in a secure processing point separated from and arranged in communication with a personal device, a unique chip identifier from a read-only storage of an integrated circuit chip included in the personal device [**Mauro: par. [0038]**]; **A read only memory (ROM 252) stores secure parameters (e.g., a unique chip identifier) via a secure operation (e.g., during**

Art Unit: 2439

**the manufacturing phase) and become available for use thereafter (e.g. retrieving a unique chip identifier)];**

(b) the secure processing point assembling a data package and loading the data package in the personal device for storage therein, the data package including at least one cryptographic key specific to the personal device **[Mauro: par. [0034], lines 1-7; A secure unit 240 to perform all secure processing and store all “sensitive” data (e.g. cryptographic key) by various cryptographic technique];**

storing sensitive data in a tamper-resistant secret storage of chip an integrated circuit chip included in the personal device **[Mauro: par. [0037]; memory 254 is a non-volatile memory that may be used to stored sensitive data; par. [0039]; “secure processor 250 and memory 254 are implemented as two separate units enclosed within secure/or tamper resistance/evident unit”];**

(l) storing the certificate in the device **[Mauro: par. [0010]; storing certificate in secure storage of data];**

(m1) storing the unique device identity and the certificate **[Mauro: par. [0010]; storing certificate in secure storage of data; par. [0055]; the certificate is issued and signed by a trusted certificate authority that certifies the remote terminal's identity; par. [0063]; certificate containing identity verification information for the remote terminal].**

Mauro does not explicitly disclose,

(c) receiving at the secure processing point, in response to storing the data package, a backup data package from the personal device, which backup data package is the data package

Art Unit: 2439

encrypted with a unique secret chip key stored in a tamper-resistant secret storage of the integrated circuit chip included in the personal device;

(d) associating the unique chip identifier with the received backup data package; and

(e) storing the backup data package and the associated unique chip identifier in a permanent public database separated from the personal device:

(f) wherein the secure processing point further performs:

(g) associating a unique device identity with the unique chip identifier;

(h) signing the associating a unique device identity and unique chip identifier with a manufacturer private signature key corresponding to a manufacturer public signature key stored in a read-only memory of the personal device, thereby generating a certificate for the unique device identity;

(m) storing in the permanent public database, the unique device identity and the certificate in association with the backup data package and the associated unique chip identifier.

However, Craft discloses,

(c) receiving at the secure processing point, in response to storing the data package, a backup data package from the personal device, which backup data package is the data package encrypted with a unique secret chip key stored in a tamper-resistant secret storage of chip

**[Craft: fig. 2; par. [0021] and par. [0019]; A server system receives encrypted content data using permanent, hardware-embedded, cryptographic keys (tamper-resistant secret storage) from a client.]**

(d) associating the unique chip identifier with the received backup data package **[Craft: par. [0041], lines 7-13; “The manufacture of the client CPU chips also has knowledge of a**

Art Unit: 2439

**server public key that is associated with a server private key that may or may not be known to the manufacturer”];**

(e) storing the backup data package and the associated unique chip identifier in a permanent public database separated from the personal device [**Craft: par. [0043], lines 1-6 and figure 2; A client serial number (216) is equivalent to a unique chip identifier and a client public key datastore (222) is equivalent to a permanent public database].**

(f) Craft further discloses the secure processing point performs:

(g1) associating a unique device identity with the unique chip identifier [**Craft: par. [0015]; par. [0041]; a unique device identity is associated with client device (i.e. device identity) ; CPU chip is equivalent to unique chip identifier];**

(h) signing the associating a unique device identity and unique chip identifier with a manufacturer private signature key corresponding to a manufacturer public signature key stored in a read-only memory of the device, thereby generating a certificate for the unique device identity [**Craft: par. [0036]; “a data can be signed by computing a digital signature from the data and the private key of signer”; a data signed by computing a digital signature using private key, thereby generating a certificate];**

(m) storing in the permanent public database, the unique device identity and the certificate in association with the backup data package and the associated unique chip identifier [**Craft: par. [0043], lines 1-6 and figure 2; A client serial number (216) is equivalent to a unique chip identifier and a client public key datastore (222) is equivalent to a permanent public database; Craft: par. [0036]; “a data can be signed by computing a digital signature from the data and the private key of signer. Once the data is digitally signed, it can be**

Art Unit: 2439

**stored with the identity of the signer and the signature that proves that the data originated from the signer”; a data signed by computing a digital signature using private key, thereby generating a certificate which is stored in datastore (222)].**

Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention was made to combine the method of Mauro by including other feature such as receiving in response to storing the data package, associating the unique chip identifier with the received backup data package , and storing the backup data package and the associated unique chip identifier of Craft because it would ensure security of the communication between client devices and servers [**Craft: paragraph [0013], lines 1-4, Craft et al.**]

Mauro and Craft are not so clear of disclosing a unique device identity and associating a unique device identity with the unique chip identifier;

However, Chien discloses methods and apparatus for anonymous user identification and content personalization in wireless communication, wherein associating a unique device identity with the unique chip identifier [**Chien: Col. 3; lines 15-20; Col. 3, lines 55-60; Col. 4, lines 1-32; fig. 1; Wireless communication device includes a device serial number 102 and a SIM\_ID 107; Col. 4, lines 28-32; An International Mobile Station Equipment Identity (IMEI) can be used as a device identifier; fig. 2; Col. 4, lines 40-50; retrieving personalization parameters such as a device serial number as a SIM\_ID; Col. 6, lines 54-57].**

Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention was made to combine the method of Mauro and Craft by including the teaching of Chien wherein associating a unique device identity with the unique chip identifier to provide

Art Unit: 2439

anonymous content personalization in wireless communication network [**Chien: Col. 2, lines 34-42**].

Although the combination of Mauro, Craft, and Chien teach the claimed subject matter, they are not so clear of disclosing the secure processing point being separated from the personal device. On the hand, Okimoto teaches this limitation in Column 5 [**Okimoto: Col. 5, lines 52-53**].

Thus, it would have been obvious to the person of ordinary skill in the art at the time the invention was made to combine the method of Mauro, Craft, and Chien by including teaching of Okimoto because it would securely deliver encrypted content on demand with access control [**Col. 3, lines 67 to Col. 4, line 1, Okimoto**].

**As per Claim 3:**

The combination of teaching Mauro, Craft, Chien, and Okimoto teach the claimed subject matter.

Craft et al. further disclose wherein the at least one cryptographic key includes at least one cryptography key to be used for a secure, key based communication channel between a personal device manufacturer and the personal device [**Craft: par. [0038], figure 2; “a data processing system for secure communication of application code and content using permanent, hardware-embedded, cryptographic key”**].

**As per Claim 4:**

Art Unit: 2439

The combination of teaching Mauro, Craft, Chien, and Okimoto teach the claimed subject matter.

Craft et al. further disclose the method as claimed in claim 3, wherein the at least one cryptography key to be used for a secure, key based communication channel includes a symmetric key [Craft: par. [0038], lines 1-5; par. [0060], lines 20-24. **The symmetric key is a cryptographic key which uses trivially cryptographic key for both decryption and encryption**].

**As per Claim 6:**

The combination of teaching Mauro, Craft, Chien, and Okimoto teach the claimed subject matter.

Craft et al. further disclose the method as claimed in claim 3, wherein the at least one cryptography key to be used for a secure, key based communication channel includes a private/public key pair [Craft: par. [0038], par. [0032], **“Public key cryptography requires each party involved in a communication or transaction to have a pair of key, called the public key and the private key”**].

**As per Claim 8:**

The combination of teaching Mauro, Craft, Chien, and Okimoto teach the claimed subject matter.

Craft et al. and Chien further disclose wherein the personal device is a wireless communications terminal and the unique device identity is an identifier which identifies the

Art Unit: 2439

wireless communications terminal in a wireless communications network [**Craft: par. [0025], lines 13-16. Personal digital assistant (PDAs, client 107) is equivalent to a wireless personal device; Chien: Col. 3; lines 15-20; Col. 3, lines 55-60; Col. 4, lines 1-32; fig. 1; Wireless communication device includes a device serial number 102 and a SIM\_ID 107].**

**As per claim 9:**

Mauro teaches a system comprising:

- (a) at least one personal device [**Mauro: fig. 1, box 110a; fig. 2], and**
- (b) a secure processing point [**Mauro: fig. 2, box 240], which secure processing point is separated from and arranged in communication with the personal device,**
- (c ) wherein the at least one personal device includes an integrated circuit chip with a unique chip identifier in a read-only storage and a unique secret chip key in a tamper- resistant secret storage [**Mauro: par. [0038], lines 1-4. A read only memory (ROM 252) stores secure parameters (e.g., a unique chip identifier); par. [0039], lines 9-11; “secure processor 250 and memory 254 are implemented as two separate units enclosed within a secure and/or tamper resistance/evident unit];**
- (d) wherein the secure processing point includes a processor configured for retrieving the unique chip identifier and for assembling a data package and loading the data package in the personal device for storage therein, the data package including at least one cryptographic key specific to said personal device [**Mauro: par. [0038]; par. [0034], lines 1-7; A secure unit 240 to perform all secure processing and store all “sensitive” data (e.g. cryptographic key) by various cryptographic technique];**



Art Unit: 2439

(e) wherein the at least one personal device includes a processor configured for encrypting the received data package with the unique secret chip key and transferring a resulting backup data package back to the secure processing point **[Mauro: par. [0036], lines 8-11; “secure processor 250 retrieves data stored within memory 254, processor and/or encrypts the retrieved data, and may send the data to external elements (e.g., main processor 230 via bus 262)]; and**

(m) storing the certificate in the device **[Mauro: par. [0010]; storing certificate in secure storage of data];**

(n1) storing the unique device identity and the certificate **[Mauro: par. [0010]; storing certificate in secure storage of data; par. [0055]; the certificate is issued and signed by a trusted certificate authority that certifies the remote terminal's identity; par. [0063]; certificate containing identity verification information for the remote terminal].**

Mauro does not explicitly disclose,

(f) wherein the processor of the secure processing point is arranged for storing the received backup data package in association with the unique chip identifier in a permanent public database separated from the personal device;

(g) wherein the processor of the secure processing point further is arranged for:

(h) associating a unique device identity with the unique chip identifier;

(l) signing the associating a unique device identity and unique chip identifier with a manufacturer private signature key corresponding to a manufacturer public signature key stored in a read-only memory of the personal device, thereby generating a certificate for the unique device identity;

Art Unit: 2439

(n) storing in the permanent public database the unique device identity and the certificate in association with the backup data package and the associated unique chip identifier.

However, Craft discloses the processor of the secure processing point is arranged for storing the received backup data package in association with the unique chip identifier in a permanent public database separated from the personal device [**Craft: par. [0043], lines 1-6 and figure 2. A client serial number (216) is equivalent to a unique chip identifier and a client public key datastore (222) is equivalent to a permanent public database**].

Craft further discloses wherein the processor of the secure processing point further is arranged for:

(h1) associating a unique device identity with the unique chip identifier [**Craft: par. [0015]; par. [0041]; a unique device identity is associated with client device; CPU chip is equivalent to unique chip identifier**];

(l) signing the associating a unique device identity and unique chip identifier with a manufacturer private signature key corresponding to a manufacturer public signature key stored in a read-only memory of the personal device, thereby generating a certificate for the unique device identity [**Craft: par. [0036]; “a data can be signed by computing a digital signature from the data and the private key of signer”; a data signed by computing a digital signature using private key, thereby generating a certificate**];

(n) storing in the permanent public database the unique device identity and the certificate in association with the backup data package and the associated unique chip identifier [**Craft: par. [0043], lines 1-6 and figure 2; A client serial number (216) is equivalent to a unique chip identifier and a client public key datastore (222) is equivalent to a permanent public**

Art Unit: 2439

**database; Craft: par. [0036]; “a data can be signed by computing a digital signature from the data and the private key of signer. Once the data is digitally signed, it can be stored with the identity of the signer and the signature that proves that the data originated from the signer”; a data signed by computing a digital signature using private key, thereby generating a certificate which is stored in datastore (222)];**

Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention was made to combine the system of Mauro by including the processor of the secure processing point is arranged for storing the received backup data package of Craft because it would ensure security of the communication between client devices and servers [**par. [0013], lines 1-4, Craft et al.**].

Mauro and Craft are not so clear of disclosing a unique device identity and associating a unique device identity with the unique chip identifier;

However, Chien discloses methods and apparatus for anonymous user identification and content personalization in wireless communication, wherein associating a unique device identity with the unique chip identifier [**Chien: Col. 3; lines 15-20; Col. 3, lines 55-60; Col. 4, lines 1-32; fig. 1; Wireless communication device includes a device serial number 102 and a SIM\_ID 107; Col. 4, lines 28-32; An International Mobile Station Equipment Identity (IMEI) can be used as a device identifier; fig. 2; Col. 4, lines 40-50; retrieving personalization parameters such as a device serial number as a SIM\_ID; Col. 6, lines 54-57**].

Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention was made to combine the method of Mauro and Craft by including the teaching of

Art Unit: 2439

Chien wherein associating a unique device identity with the unique chip identifier to provide anonymous content personalization in wireless communication network [**Chien: Col. 2, lines 34-42**].

Although the combination of Mauro, Craft, and Chien teach the claimed subject matter, they are not so clear of disclosing the secure processing point being separated from the personal device. On the hand, Okimoto teaches this limitation in Column 5 [**Okimoto: Col. 5, lines 52-53**].

Thus, it would have been obvious to the person of ordinary skill in the art at the time the invention was made to combine the method of Mauro, Craft, and Chien by including teaching of Okimoto because it would securely deliver encrypted content on demand with access control [**Col. 3, lines 67 to Col. 4, line 1, Okimoto**].

**As per Claim 11:**

Claim 11 is essentially the same as claim 3 except that it sets forth the claimed invention as an apparatus rather a method and rejected under the same reasons as applied above.

**As per Claim 12:**

Claim 12 is essentially the same as claim 4 except that it sets forth the claimed invention as an apparatus rather a method and rejected under the same reasons as applied above.

**As per Claim 14:**

Art Unit: 2439

Claim 14 is essentially the same as claim 6 except that it sets forth the claimed invention as an apparatus rather a method and rejected under the same reasons as applied above.

**As per Claim 16:**

Claim 16 is essentially the same as claim 8 except that it sets forth the claimed invention as an apparatus rather a method and rejected under the same reasons as applied above.

**As per Claim 17:**

The combination of teaching Mauro, Craft, Chien, and Okimoto teach the claimed subject matter.

Mauro further discloses:

reading said unique chip identifier from said read-only storage of said personal device **[Mauro: par. [0038]); A read only memory (ROM 252) stores secure parameters (e.g., a unique chip identifier) via a secure operation (e.g., during the manufacturing phase) and become available for use thereafter (e.g. retrieving a unique chip identifier)];**

Craft further discloses:

transmitting the chip identifier to said permanent public database **[Craft: par. [0043], lines 1-6 and figure 2; A client serial number (216) is equivalent to a unique chip identifier and a client public key datastore (222) is equivalent to a permanent public database].**

receiving from the permanent public database said backup data package , said backup data package corresponding to the transmitted chip identifier **[Craft: par. [0015]; lines 8-15; “The client forms a request message, which includes the client serial number, encrypt the**

Art Unit: 2439

**request with the server public key and send the download request to the server... the client private key embedded in the client”]; and**

storing the received backup data package in the personal device [**Craft: par. [0015];**  
**lines 11-15; “The client serial number in the received request is used to search for client public key that corresponds to the client private key embedded in the client”].**

**As per Claim 25:**

Claim 25 is essentially the same as claim 1 except that it sets forth the claimed invention as an apparatus further comprising a processor [**Mauro, fig. 3; box 250, box 230**] rather a method and rejected under the same reasons as applied above.

**As per Claim 27:**

Claim 27 is essentially the same as claim 1 except that it sets forth the claimed invention as a device rather a method and rejected under the same reasons as applied above.

**Claims 18, 20-21, and 23 are rejected under 35 U.S.C. 103(a)** as being unpatentable over **Mauro** (US 2002/0147920) in view of **Craft** et al. (US 2002/0150243) further in view of **Okimoto** et al. (US 6,978,022 B2).

**As per claim 18:**

Mauro discloses a personal device comprising:

(a) an integrated circuit chip with a unique chip identifier in a read-only storage and a unique secret chip key in a tamper-resistant secret storage [**Mauro: par. [0038], lines 1-4. A**

Art Unit: 2439

**read only memory (ROM 252) stores secure parameters (e.g., a unique chip identifier); par. [0039], lines 9-11; “secure processor 250 and memory 254 are implemented as two separate units enclosed within a secure and/or tamper resistance/evident unit];**

(c) a memory for storing a received data package including at least one cryptographic key [Mauro: par. [0037], lines 1-3. **A flash memory is a form of non-volatile memory which is equivalent to memory (130); par. [0034], lines 1-7. A secure unit 240 to perform all secure processing and store all “sensitive” data (e.g. cryptographic key) by various cryptographic technique].**

(f) a read-only memory storing a manufacturer public signature key, wherein the memory for storing the received data package is further for storing a received certificate, which corresponds to a certificate stored in association with the backup data package in the permanent public database and which has been signed with the manufacturer private signature key corresponding to the manufacturer public signature key [Mauro: par. [0077]; **“The signature generation can be performed based on any one of the digital signature and encryption algorithms. Secure processor 250 may further provide the certificate that includes the remote terminal’s public key”].**

Mauro does not explicitly disclose:

(b) “a processor configured for outputting the unique chip identifier”;

(d) “where the processor is further configured for encrypting the received data package with the unique secret chip key and outputting a resulting backup data package to a permanent public database separated from said personal device”.

Art Unit: 2439

(h) signing the associating a unique device identity and unique chip identifier with a manufacturer private signature key corresponding to a manufacturer public signature key stored in a read-only memory of the personal device, thereby generating a certificate for the unique device identity.

However, Craft discloses:

(b) a processor configured for outputting the unique chip identifier [**Craft: par. [0041], lines 7-9; “each CPU chip is assigned a unique client serial number”**].

(d) wherein the processor is further configured for encrypting the received data package with the unique secret chip key and outputting a resulting backup data package to a permanent public database separated from said personal device [**Craft: abstract , par. [0043], lines 1-6 and figure 2. Encrypting a request which includes a client serial number (216) is equivalent to encrypt the received data package with the unique secret chip key. The client serial number (216) is equivalent to a unique chip identifier and a client public key datastore (222) is equivalent to a permanent public database**].

(h) signing the associating a unique device identity and unique chip identifier with a manufacturer private signature key corresponding to a manufacturer public signature key stored in a read-only memory of the device, thereby generating a certificate for the unique device identity [**Craft: par. [0036]; “a data can be signed by computing a digital signature from the data and the private key of signer”; a data signed by computing a digital signature using private key, thereby generating a certificate**];

Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention was made to combine the system of Mauro by including the processor of the secure



Art Unit: 2439

processing point is arranged for storing the received backup data package of Craft because it would ensure security of the communication between client devices and servers **[par. [0013], lines 1-4, Craft et al.]**.

Although the combination of Mauro and Craft teaches the claimed subject matter, they are not so clear of disclosing the secure processing point being separated from the personal device. On the hand, Okimoto teaches this limitation in Column 5 **[Okimoto: Col. 5, lines 52-53]**.

Thus, it would have been obvious to the person of ordinary skill in the art at the time the invention was made to combine the device of Mauro and Craft by including the teaching of Okimoto because it would securely deliver encrypted content on demand with access control **[Col. 3, lines 67 to Col. 4, line 1, Okimoto]**.

**As per claim 20:**

The combination of Mauro, Craft, and Okimoto teach the subject matter as described above. Craft further teaches the personal device as claimed in claim 18, wherein the at least one cryptographic key includes at least one cryptography key to be used for a secure, key based communication channel between a personal device manufacturer and the personal device **[Craft: par. [0038], figure 2; “a data processing system for secure communication of application code and content using permanent, hardware-embedded, cryptographic key”]**.

**As per claim 21:**

Art Unit: 2439

Craft further teaches the personal device as claimed in claim 20, wherein the at least one cryptography key to be used for a secure, key based communication channel includes a symmetric key [Craft: par. [0038], lines 1-5; par. [0060], lines 20-24. **The symmetric key is a cryptographic key which uses trivially cryptographic key for both decryption and encryption**].

**As per claim 23:**

Craft further teaches the personal device as claimed in claim 20, wherein the at least one cryptography key to be used for a secure, key based communication channel includes a private/public key pair [Craft: par. [0038], par. [0032], **“Public key cryptography requires each party involved in a communication or transaction to have a pair of key, called the public key and the private key”**].

**Claims 7 and 15 are rejected under 35 U.S.C. 103(a)** as being unpatentable **Mauro** (US 2002/0147920) in view of **Craft et al.** (US 2002/0150243), further in view of **Chien** (US 7,551,913 B1), further in view of **Okimoto et al.** (US 6,978,022 B2), and further in view of **Ginter et al.** (US patent 5,892,900).

**As per Claim 7:**

The combination of teaching Mauro, Craft, Chien, and Okimoto teach the claimed subject matter.

Art Unit: 2439

Craft further discloses generated by the secure processing point during assembly of the device **[Craft: par. [0042], lines 1-6. Each client CPU chip has a cryptographic unit (public/private key) that has been manufactured to contain programmable memory storage].**

Mauro, Craft, Chien, and Okimoto do not explicitly disclose, “the private/public key pair is generated and store in advance in a secure database before assembly of the device, in which latter case the cryptographic keys stored in advance of assembly are removed from the secret database after reception of the backup data package”.

However, Ginter discloses how to generate and store in advance in a secure database before assembly of the device, in which latter case the cryptographic keys stored in advance of assembly are removed from the secret database after reception of the backup data package **[Ginter: Col. 169, lines 9-17; claim 101. An electronic appliance 600 updates its secure database 610 and/or SPU 500. If an information is received, an end user’s electronic appliance 600 requesting the electronic appliance to delete the information that has been transferred. The information comprises at least one or more cryptographic keys].**

Thus, it would have been obvious to the person of ordinary skill in the art at the time the invention was made to combine the teaching of Mauro, Craft, Chien, and Okimoto by including how to store the cryptographic keys in advance and removed from the secret database as suggested by Ginter because it would allow the secure database 610 item is updated or modified, a new encryption key can be generated for updated item **[Ginter, Col. 171, lines 43-46].**

**As per Claim 15:**

Art Unit: 2439

Claim 15 is essentially the same as claim 7 except that it sets forth the claimed invention as an apparatus rather a method and rejected under the same reasons as applied above.

**Claims 5 and 13 are rejected under 35 U.S.C. 103(a)** as being unpatentable over **Mauro** (US 2002/0147920) in view of **Craft** et al. (US 2002/0150243) further view of **Chien** (US 7,551,913 B1), further in view of **Okimoto** et al. (US 6,978,022 B2), and further in view of **Audebert** et al. (US 2003/0086571 A1).

**As per Claim 5:**

The combination of teaching Mauro, Craft, Chien, and Okimoto teach the claimed subject matter.

Mauro, Craft, Chien, and Okimoto do not explicitly disclose wherein the symmetric key is generated as a function of a master key and the unique device identity.

However, Audebert teaches a system and method for generating symmetric keys within a personal security device having minimal trust relationships, wherein the symmetric key is generated as a function of a master key and the unique device identity [**Audebert: fig. 2B; par. [0041]; master key 280, PSD's serial number 65A, and composite key 210**].

Thus, it would have been obvious to the person of ordinary skill in the art at the time the invention was made to combine the teachings of Mauro, Craft, Chien, and Okimoto by including the teaching as suggested by Audebert to provide a method and system for generating a composite symmetric key, which securely incorporates information from each service provider

Art Unit: 2439

contained in a Personal security devices (PSD) and is only known to a trusted third party

**[Audebert: par. [0011]].**

**As per Claim 13:**

Claim 13 is essentially the same as claim 5 except that it sets forth the claimed invention as an apparatus rather a method and rejected under the same reasons as applied above.

**Claims 22 are rejected under 35 U.S.C. 103(a)** as being unpatentable over **Mauro** (US 2002/0147920) in view of **Craft** et al. (US 2002/0150243) further in view of **Okimoto** et al. (US 6,978,022 B2), and further in view of **Audebert** et al. (US 2003/0086571 A1).

**As per claim 22:**

The combination of Mauro, Craft, and Okimoto teach the subject matter as described above.

Mauro, Craft, and Okimoto do not explicitly disclose wherein the symmetric key is generated as a function of master key and a unique device key.

However, Audebert teaches a system and method for generating symmetric keys within a personal security device having minimal trust relationships, wherein the symmetric key is generated as a function of a master key and a unique device identity **[Audebert: fig. 2B; par. [0041]; master key 280, PSD's serial number 65A, and composite key 210]**.

Thus, it would have been obvious to the person of ordinary skill in the art at the time the invention was made to combine the teachings of Mauro, Craft, and Okimoto by including the teaching as suggested by Audebert to provide a method and system for generating a composite

Art Unit: 2439

symmetric key, which securely incorporates information from each service provider contained in a Personal security devices (PSD) and is only known to a trusted third party [**Audebert: par. [0011]**].

**Claims 24 are rejected under 35 U.S.C. 103(a)** as being unpatentable over **Mauro** (US 2002/0147920) in view of **Craft** et al. (US 2002/0150243) further in view of **Okimoto** et al. (US 6,978,022 B2), and further in view of **Chien** (US 7,551,913 B1).

**As per claim 24:**

Craft further teaches the personal device as claimed in claim 18, wherein the personal device is a wireless communications terminal [**Craft: par. [0025], lines 13-16. Personal digital assistant (PDAs, client 107) is equivalent to a wireless personal device**] but does not explicitly disclose a wireless communication terminal which has an unique device identity is an identifier which identifies the wireless communications terminal in a wireless communications network.

However, Chien discloses a methods and apparatus for anonymous user identification and content personalization in wireless communication, wherein an unique device identity is an identifier which identifies the wireless communications terminal in a wireless communications network [**Chien: Col. 3; lines 15-20; Col. 3, lines 55-60; Col. 4, lines 1-32; fig. 1; Wireless communication device includes a device serial number 102 and a SIM\_ID 107; Col. 4, lines 28-32; An International Mobile Station Equipment Identity (IMEI) can be used as a device identifier; fig. 2; Col. 4, lines 40-50; retrieving personalization parameters such as a device serial number as a SIM\_ID; Col. 6, lines 54-57**].

Art Unit: 2439

Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention was made to combine the method of Mauro and Craft by including the teaching of Chien wherein an unique device identity is an identifier which identifies the wireless communications terminal in a wireless communications network to provide anonymous content personalization in wireless communication network **[Chien: Col. 2, lines 34-42]**.

### ***Conclusion***

The examiner requests, in response to this Office action, support be shown for language added to any original claims on amendment and any new claims. That is, indicate support for newly added claim language by specifically pointing to page(s) and line number(s) in the specification and/or drawing figure(s). This will assist the examiner in prosecuting the application. Failure to show support can result in a non-compliant response.

When responding to this office action, Applicant is advised that if Applicant traverses an obviousness rejection under 35 U.S.C. 103, a reasoned statement must be included explaining why the Applicant believes the Office has erred substantively as to the factual findings or the conclusion of obviousness See 37 CFR 1.111(b).

Additionally Applicant is further advised to clearly point out the patentable novelty which he or she thinks the claims present, in view of the state of the art disclosed by the references cited or the objections made. He or she must also show how the amendments avoid such references or objections See 37 CFR 1.111(c).

Art Unit: 2439

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Canh Le whose telephone number is 571-270-1380. The examiner can normally be reached on Monday to Friday 7:30AM to 5:00PM other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Orgad Edan can be reached on 571-272-7884. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.



Art Unit: 2439

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Christian LaForgia/  
Primary Examiner, Art Unit 2439

/Canh Le/

Examiner, Art Unit 2439

August 27, 2010